Multi Head Pre-requisites checklist

Installation address and contact:

-	rements needed for successful Estimated installation date:
instal	lation of the Coloreel unit.
	Stand width
	3000 mm 4000 mm 5000 mm
	Embroidery machine: Brand and model
	Space required:
	Minimum: Embroidery machine total width + 400 mm.
	 Maximum number of units = 8
	Minimum: 2750 mm depth. Calling height min 260 210 am (depending on ambreidan), machine height).
	 Ceiling height min 260-310 cm (depending on embroidery. machine height) Max width of embroidery machine is 4350 mm
	·
	Floor material information: (Stand needs to be secured to floor! Info is needed to choose the right securing method)
	Wined network connection
	 Wired network connection Network access with cable connection using DHCP, dynamic IP-addressing activated.
	 Network access with cable connection using DHCP, dynamic IP-addressing activated. Static IP-addressing is possible, refer to customer's LAN operator for configuration
	 Network switch with minimum 1 port connector per unit + 2 (to connect computer and LAN)
	 LAN cable from backside top of stand (where the switch is to me mounted) to LAN connection LAN cable from switch to computer
	PC, running Windows 8 or later
П	Google Chrome, Firefox or Microsoft Edge internet browser
	Power supply. AC 100-240V ~ 5.5A 50/60Hz, rated 600W (per unit)
	Step ladder, at least 120 cm in height
	Temperature / Humidity operation ranges
	Limitations always applies. Should they be out of range, the Coloreel unit will not be able to run
	Operating temperature: 18° to 28° C Operating humidity: 30% - 85% RH, no condensation
Addition	<u>.</u>
notes:	
	f you have any questions, please contact your sales representative

If you have any questions, please contact your sales representative.


COLOREEL

Coloreel

Gjuterigatan 9

553 18 Jönköping

Sweden



COLOREEL


Coloreel

Gjuterigatan 9

553 18 Jönköping

Sweden

www.coloreel.com



COLOREEL

Coloreel

Gjuterigatan 9

553 18 Jönköping

Sweden

www.coloreel.com